Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-317-4063

Thread Cla	ISS:
2a	
Thread Dire	ection:
Right-hand	
Body Style	r.
Straight sha	ape, external coupling
Overall Ler	ngth:
1.400 inche	S
Overall Hei	ight:
Between 2.7	719 inches and 2.781 inches
Overall Wic	dth:
Between 2.7	719 inches and 2.781 inches
Environme	ental Protection:
Moisture pro	oof and salt water resistant and vibration proof and shock resistant and cold resistant and heat resistant and explosion proof
Unthreaded	d Mounting Hole Diameter:
Between 0.7	168 inches and 0.183 inches
Center To (	Center Distance Between Mounting Facilities Parallel To Height:
Between 2.7	183 inches and 2.193 inches
Distance B	etween Centerlines Of Mounting Facilities Parallel To Body Width:
Between 2.2	183 inches and 2.193 inches
Distance F	rom Mounting Shoulder To Front Face:
Between 0.8	875 inches and 0.906 inches
Threaded D	Device Type:
Coupling fac	cility
Mating End	d Quantity:
1	
Contact Po	osition Arrangement Style:
40a27 singl	e mating end
Contact Re	emovability:
Nonremova	ble single mating end single contact grouping
Contact Ma	aximum Ac Voltage Rating In Volts:
500.0 single	e mating end single contact grouping
Contact Ma	aximum Dc Voltage Rating In Volts:
700.0 single	e mating end single contact grouping
Polarizatio	n Method:
Key, multip	ole key groove
Insert Posi	tion In Deg:
0.0	
Shell Type:	:
Solid	
Connector	Locking Method:
Externally th	hreaded shell

## NSN 5935-01-317-4063

Electrical Receptacle Connector - Page 2 of 2



**Thread Length:** 0.675 inches **Operating Tempurature Rating:** Between -55.0 degrees celsius and 125.0 degrees celsius Thready Qty Per Inch (tpi): 16 **Thread Size:** 2.500 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Silver single mating end single contact grouping **Insert Material:** Rubber chloroprene class cr single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Cadmium and chromate **Included Contact Quantity:** 60 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Special Features:** Furnished items - preformed packing **Precious Material And Location:** Contact surfaces silver **Precious Material And Weight:** 0.060 silver grains, troy **Precious Material:** Silver **Thread Series Designator:** Un Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig:

A039b0