Electrical Plug Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-317-7687



**Thread Class:** 2b **Thread Direction: Right-hand Body Style:** Angle shape w/cable clamp **Overall Diameter:** 2.469 inches **Body Angle In Deg:** 90.0 **Environmental Protection:** Moisture resistant and vibration resistant **Cable Entrance Diameter:** 1.250 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 36a34 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 700.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Internally threaded coupling ring **Connector Cable Strain Relief Method:** Cable clamp **Distance From Centerline To Connector End:** 2.836 inches **Distance From Centerline To Cable End:** 2.719 inches **Operating Tempurature Rating:** Between -55.0 degrees celsius and 125.0 degrees celsius

## NSN 5935-01-317-7687

Electrical Plug Connector - Page 2 of 2



Thready Qty Per Inch (tpi): 16 **Thread Size:** 2.250 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Silver single mating end single contact grouping **Insert Material:** Rubber synthetic single mating end **Terminal Type:** Crimp single mating end single contact grouping Shell Material: Aluminum alloy **Shell Surface Treatment:** Cadmium and chromate **Shell Surface Treatment Specification:** Qq-p-416, type 2, cl 3 federal specification all treatment responses **Included Contact Quantity:** 52 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces silver **Precious Material And Weight:** 0.052 silver grains, troy **Precious Material:** Silver **Thread Series Designator:** Un Shelf Life: N/a Unit Of Measure: --**Demilitarization:** No Fiig: A039b0