# NSN 5935-01-319-5231

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-319-5231

Thread Class:
2a and 2b and 2a
Thread Direction:
Right-hand and right-hand
Body Style:
Straight shape
Overall Length:
0.870 inches
Overall Height:
0.546 inches
Overall Width:
0.234 inches
Distance Between Mounting Facility Centers:
0.625 inches
Threaded Device Type:
Coupling facility and mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
7 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
Jackscrew
Connector Locking Method:
Jackscrew-socket
Thready Qty Per Inch (tpi):
56 and 56 and 56
Thread Size:
0.086 inches and 0.086 inches and 0.086 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:

Mil-g-45204 military specification 1st treatment response single mating end single contact grouping

# NSN 5935-01-319-5231

Electrical Receptacle Connector - Page 2 of 2



## **Terminal Type:**

Solder well single mating end single contact grouping

# **Insert Material Specification:**

Mil-m-14, sdg-f military specification single material response single mating end

#### **Unable To Decode:**

Unable to decode and unable to decode

### **Included Contact Quantity:**

7 single mating end single contact grouping

### **Included Contact Type:**

Round socket single mating end single contact grouping

#### **Special Features:**

Jackscrew type-female and location-left handandjackscrew type-male and location-right hand

#### **Precious Material And Location:**

Contact surfaces gold

# **Precious Material And Weight:**

0.007 gold grains, troy

# Precious Material:

Gold

## **Thread Series Designator:**

Unc and unc and unc

Shelf Life:

N/a

**Unit Of Measure:** 

\_

**Demilitarization:** 

No

Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.