## NSN 5935-01-320-4030

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-320-4030 **Body Style:** Angle shape, pcb, external coupling **Overall Length:** 0.812 inches **Overall Height:** 0.463 inches **Overall Width:** 0.312 inches **Distance From Mounting Shoulder To Front Face:** 0.500 inches **Mating End Quantity: Contact Position Arrangement Style:** Smb single mating end **Contact Removability:** Removable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping **End Application:** F-15 eagle aircraft. **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic single mating end **Contact Surface Treatment Specification:** Mil-g-45204 military specification single treatment response single mating end single contact grouping **Criticality Code Justification:** Feat **Terminal Type:** Pin single mating end single contact grouping **Shell Material:** 

Copper alloy

**Shell Surface Treatment:** 

Gold

# NSN 5935-01-320-4030

Electrical Receptacle Connector - Page 2 of 2



## **Shell Surface Treatment Specification:**

Mil-g-45204 military specification single treatment response

## **Included Contact Quantity:**

1 single mating end single contact grouping

## **Included Contact Type:**

Coaxial socket single mating end single contact grouping

#### **Special Features:**

Weapon system essential

#### **Precious Material And Location:**

Contact and body surfaces gold

#### **Precious Material And Weight:**

0.105 gold grains, troy

#### **Precious Material:**

Gold

#### **Specification Data:**

28480-1250-1955 manufacturers specification control

#### Shelf Life:

N/a

#### **Unit Of Measure:**

#### **Demilitarization:**

No

## Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.