## NSN 5935-01-321-4026

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-321-4026

**Body Style:** 

Right angle type

**Overall Length:** 

Between 3.990 inches and 4.010 inches

**Overall Width:** 

0.380 inches

**Body Height:** 

Between 0.490 inches and 0.510 inches

**Unthreaded Mounting Hole Diameter:** 

Between 0.134 inches and 0.154 inches

**Distance Between Mounting Facility Centers:** 

Between 3.590 inches and 3.610 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

1 row of contacts non-inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Connector Locking Method:** 

Friction

**Terminal Location:** 

Side single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate glass filled single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204 military specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Solder well single mating end single contact grouping

**Contact Material Specification:** 

Qq-b-626 federal specification single material response single mating end single contact grouping

**Insert Material Specification:** 

Mil-p-19833, ty gdi-30 military specification single material response single mating end

**Included Contact Quantity:** 

16 single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.016 gold grains, troy

## NSN 5935-01-321-4026

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.