NSN 5935-01-321-4947

Tip Jack - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-321-4947 **Thread Class:** 2a **Thread Direction:** Right-hand **Electrical Insulation Feature:** Insulated from panel **Body Style:** Threaded bushing mounted **Overall Length:** 0.953 inches **Mounting Bushing Length:** 0.250 inches **Body Length:** 0.779 inches **Overall Diameter:** 0.406 inches **Bushing Accommodation Hole Shape:** Round **Accommodated Finger Type:** Test prod single finger **Finger Accommodation Diameter:** 0.080 inches single finger **Finger Accommodation Length:** 0.250 inches single finger **Bushing Thru-hole Accommodation Diameter:** 0.250 inches Thread Length: 0.250 inches **Mounting Facility Type And Quantity:** 1 bushing Thready Qty Per Inch (tpi): **Thread Size:** 0.250 inches **Terminal Type:** Tab, solder lug Material: Plastic, diallyl phthalate insulator Material:

Plastic diallyl phthalate insulator **Precious Material And Location:**Contact surfaces gold

NSN 5935-01-321-4947

Tip Jack - Page 2 of 2



Precious Material And Weight:
0.005 gold grains, troy
Precious Material:
Gold
Surface Treatment:
Tin terminal
Surface Treatment:
Gold spring
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A03400