## NSN 5935-01-321-4959

**Thread Class:** 

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-321-4959

2a and 2b and 2a
Thread Direction:
Right-hand and right-hand
Body Style:
Straight shape
Overall Length:
2.310 inches
Overall Height:
1.130 inches
Overall Width:
0.750 inches
Environmental Protection:
Vibration resistant and shock resistant and heat resistant and cold resistant and moisture resistant
Distance Between Mounting Facility Centers:
1.990 inches
Threaded Device Type:
Coupling facility and mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
42 single mating end
Polarization Method:
Jackscrew and shell
Shell Type:
Solid
Connector Locking Method:
Jackscrew-socket
Operating Tempurature Rating:
Between -55.0 degrees celsius and 125.0 degrees celsius
Thready Qty Per Inch (tpi):
40 and 40 and 40
Thread Size:
0.112 inches and 0.112 inches and 0.112 inches
Insert Material:
Plastic phenolic mineral filled single mating end
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Chromate
Insert Material Specification:

Mil-m-14f, ty mfh military specification single material response single mating end

## NSN 5935-01-321-4959

Electrical Receptacle Connector Body - Page 2 of 2



Shell Guide Type And Location Designator:
7 slot
Unable To Decode:
Unable to decode and unable to decode
Thread Series Designator:
Unc and unc and unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-14f spec.