## NSN 5935-01-324-2344

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-324-2344

**Body Style:** 

Straight shape

**Overall Length:** 

Between 2.620 inches and 2.650 inches

**Overall Height:** 

Between 1.139 inches and 1.198 inches

**Overall Width:** 

Between 0.590 inches and 0.620 inches

**Environmental Protection:** 

Moisture resistant and vibration resistant and shock resistant and corrosion resistant

**Unthreaded Mounting Hole Diameter:** 

0.120 inches

**Distance Between Mounting Facility Centers:** 

Between 2.401 inches and 2.411 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

50 single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end single contact grouping

**Polarization Method:** 

Mating end

Shell Type:

Solid

**Connector Locking Method:** 

Friction

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and nickel single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate glass filled single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204, type 2, cl 1 military specification 1st treatment response single mating end single contact grouping

**Terminal Type:** 

Wire wrap single mating end single contact grouping

**Contact Material Specification:** 

Qq-b-626, half hard federal specification single material response single mating end single contact grouping

## NSN 5935-01-324-2344

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Steel
Shell Surface Treatment:
Tin
Shell Surface Treatment Specification:
Mil-t-10727a military specification single treatment response
Shell Material Specification:
Qq-s-636 federal specification single material response
Insert Material Specification:
Mil-m-14, ty sdg-f military specification single material response single mating end or mil-p-19833, ty gdi-30f military specification single
material response single mating end
Included Contact Quantity:
50 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Furnished items - bushing
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.050 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.