NSN 5935-01-325-7765

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-325-7765

Body Style: Right angle type **Overall Length:** 3.000 inches **Overall Width:** 0.478 inches **Body Height:** 0.100 inches **Environmental Protection:** Heat resistant and cold resistant **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Connector Locking Method:** Friction **Operating Tempurature Rating:** Between -40.0 degrees celsius and 105.0 degrees celsius **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Glass single mating end and plastic polyamide single mating end or plastic single mating end **Contact Surface Treatment Specification:** Mil-g-45204 military specification single treatment response single mating end single contact grouping **Terminal Type:** Pin single mating end single contact grouping **Contact Material Specification:** Qq-b-750 federal specification single material response single mating end single contact grouping **Insert Material Specification:** Astm d 4066 assn standard 1st material response single mating end and astm d 4066 assn standard 2nd material response single mating end or mil-c-24519 military specification 3rd material response single mating end **Included Contact Quantity:**

Included Contact Type:

60 single mating end single contact grouping

Round pin single mating end single contact grouping

NSN 5935-01-325-7765

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.060 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.