

View Online at <https://aerobasegroup.com/nsn/5935-01-326-1409>

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

Straight shape, round

Overall Length:

1.148 inches

Overall Diameter:

Between 1.300 inches and 1.310 inches

Environmental Protection:

Pressure proof

Threaded Device Type:

Mounting bushing

Mating End Quantity:

1

Contact Position Arrangement Style:

19-50 single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Polarization Method:

Key, multiple key groove

Insert Position In Deg:

0.0

Shell Type:

Solid

Connector Locking Method:

Friction

Thread Length:

0.220 inches

Operating Temperature Rating:

Between -65.0 degrees fahrenheit and 165.0 degrees fahrenheit

Thready Qty Per Inch (tpi):

18

Thread Size:

1.062 inches

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Nickel alloy single mating end single contact grouping

Insert Material:

Glass single mating end

Terminal Type:

Pin single mating end single contact grouping

Shell Material:

Steel comp 1213 and steel

Shell Surface Treatment:

Copper and cadmium and tin

Shell Surface Treatment Specification:

Qq-p-416, cl 1, type 1 federal specification 2nd treatment response and mil-t-10727, type 1 military specification 3rd treatment response

Shell Material Specification:

Aisi-b1113 assn standard single material response or qq-s-627 federal specification single material response

Included Contact Quantity:

19 single mating end single contact grouping

Bushing Accommodation Hole Shape:

Round

Included Contact Type:

Round pin single mating end single contact grouping

Supplementary Features:

Mounting method - threaded body

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-t-10727 spec.