

View Online at <https://aerobasegroup.com/nsn/5935-01-326-2731>

Body Style:

Straight shape, round

Overall Length:

0.726 inches

Overall Diameter:

Between 1.172 inches and 1.202 inches

Environmental Protection:

Corrosion resistant and vibration resistant and shock resistant and moisture resistant and hermetic

Mating End Quantity:

1

Contact Removability:

Nonremovable single mating end all contact groupings

Contact Maximum Ac Voltage Rating In Volts:

600.0 single mating end all contact groupings

Polarization Method:

Keyway or multiple keyway

Insert Position In Deg:

0.0

Shell Type:

Solid

Connector Locking Method:

Push-pull

Operating Temperature Rating:

Between -55.0 degrees celsius and 125.0 degrees celsius

Terminal Location:

Back single mating end all contact groupings

Contact Material:

Metal ferrous single mating end all contact groupings

Contact Surface Treatment:

Tin single mating end all contact groupings

Insert Material:

Glass single mating end

Contact Surface Treatment Specification:

Mil-t-10727 military specification single treatment response single mating end all contact groupings

Terminal Type:

Tab, solder lug single mating end all contact groupings

Shell Material:

Aluminum

Shell Surface Treatment:

Cadmium and tin

Included Contact Quantity:

3 single mating end 1st contact grouping

Bushing Accommodation Hole Shape:

Round

Included Contact Type:

Round pin single mating end all contact groupings

Supplementary Features:

Mounting method - solder

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-t-10727 spec.