# NSN 5935-01-326-7616

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-326-7616

view Offiline at https://aerobasegroup.com/hist//0305-01-020-7010
Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape w/screw locks
Overall Length:
1.010 inches
Overall Height:
Between 1.146 inches and 1.170 inches
Overall Width:
Between 4.300 inches and 4.330 inches
Environmental Protection:
Humidity resistant and shock resistant and thermal shock resistant and corrosion resistant and vibration resistant and fungus resistant
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
185 single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Mating end and jackscrew and guide pin/socket
Shell Type:
Solid
Connector Locking Method:
Jackscrew
Operating Tempurature Rating:
Between -65.0 degrees celsius and 200.0 degrees celsius
Thready Qty Per Inch (tpi):
32
Thread Size:
0.164 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping

Plastic single mating end

**Insert Material:** 

# NSN 5935-01-326-7616

Electrical Plug Connector - Page 2 of 2



#### **Contact Surface Treatment Specification:**

Mil-g-45204, type 2, grade c, cl 1 military specification single treatment response single mating end single contact grouping

#### **Terminal Type:**

Crimp single mating end single contact grouping

# **Guide Design And Location:**

Hexagon shape male post left-hand bottom at 3 oclock and hexagon shape male post right-hand top at 3 oclock

**Shell Material:** 

Aluminum alloy

#### **Shell Surface Treatment:**

Cadmium and nickel

#### **Shell Surface Treatment Specification:**

Qq-p-416, type 2 federal specification 1st treatment response

#### **Shell Material Specification:**

Qq-a-591 federal specification single material response

#### **Included Contact Quantity:**

185 single mating end single contact grouping

#### **Included Contact Type:**

Round socket single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

# **Precious Material And Weight:**

0.185 gold grains, troy

# **Precious Material:**

Gold

# **Thread Series Designator:**

Unc

Shelf Life:

N/a

# **Unit Of Measure:**

#### **Demilitarization:**

No

Fiig:

A039b0

# Mil-std (military Standard):

Mil-g-45204 spec.