NSN 5935-01-326-7861

Plug-in Electronic Components Socket - Page 1 of 2



| view Online at https://aerobasegroup.com/nsi//5955-01-526-7861 |
|--|
| Body Material: |
| Glass and plastic |
| Body Style: |
| Pcb, standoff terminals |
| Overall Length: |
| 1.150 inches |
| Terminal Length: |
| 0.805 inches |
| Overall Height: |
| 0.980 inches |
| Overall Width: |
| 0.500 inches |
| Mounting Hole Diameter: |
| Between 0.088 inches and 0.098 inches |
| Distance Between Mounting Facility Centers: |
| Between 0.795 inches and 0.805 inches |
| Mounting Hole Style: |
| Two mounting holes/slots, in-line |
| Contact Material: |
| Beryllium copper or brass |
| Contact Surface Treatment: |
| Gold and nickel |
| Accommodated Contact Quantity: |
| 22 |
| Printed Circuit Board Hole Arrangement Style: |
| Twenty two hole |
| Polarization Type: |
| Slot |
| Mounting Method: |
| Unthreaded hole |
| Mounting Type For Which Designed: |
| Printed circuit |
| Contact Position Arrangement Style: |
| Dual in-line |
| Precious Material And Location: |
| Contact surfaces gold |
| Precious Material And Weight: |
| 0.022 gold grains, troy |
| Precious Material: |
| Gold |
| Test Data Document: |
| 81349-mil-c-83734 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5935-01-326-7861

Plug-in Electronic Components Socket - Page 2 of 2



| Terminal Type And Quantity: |
|--|
| 22 printed circuit |
| Specification Data: |
| 81349-mil-c-83734/6 government specification |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |

A02300