NSN 5935-01-326-9830

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-326-9830

View Online at https://aerobasegroup.com/nsn/5935-01-326-9830
Body Style:
Rectangular shape, insulation
Overall Length:
2.180 inches
Overall Height:
0.540 inches
Overall Width:
0.235 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Friction
End Application:
Landing craft air cushion (lcac); arleigh burke class ddg; oliver perry class ffg; ticonderoga class cg (47); forrestal class cv; kidd class ddg;
spruance class dd (963); nimitz class cvn; engine, aircraft tf33-pw-102 (c-135e, ec-135h/k/p)
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic single mating end
Criticality Code Justification:
Feat
Terminal Type:
Slotted, solderless single mating end single contact grouping
Included Contact Quantity:
40 single mating end single contact grouping
Included Contact Type:
Square socket single mating end single contact grouping

Weapon system essential

Precious Material And Location:

Contact surfaces gold

Special Features:

Precious Material And Weight:

0.040 gold grains, troy

NSN 5935-01-326-9830

Electrical Plug Connector - Page 2 of 2



Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0