

View Online at <https://aerobasegroup.com/nsn/5935-01-326-9833>

**Body Style:**

Right angle type

**Overall Length:**

0.800 inches

**Overall Width:**

0.365 inches

**Body Height:**

0.336 inches

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

1 row of contacts non-inserted board single mating end

**Contact Removability:**

Nonremovable single mating end 1st contact grouping

**Polarization Method:**

Polarization wall

**Connector Locking Method:**

Friction

**End Application:**

Kidd class ddg; nimitz class cv; forrestal class cv; engine, aircraft tf-33-pw-102 (c-135e, ec-135h/k/p); landing craft air cushion (lcac); oliver perry class ffg; arleigh burke class ddg; spruance class dd (963); ticonderoga class cg (47)

**Terminal Location:**

Side single mating end 1st contact grouping

**Contact Material:**

Copper single mating end 1st contact grouping

**Contact Surface Treatment:**

Gold single mating end 1st contact grouping

**Insert Material:**

Plastic single mating end

**Contact Surface Treatment Specification:**

Mil-g-45204 military specification single treatment response single mating end 1st contact grouping

**Criticality Code Justification:**

Feat

**Terminal Type:**

Printed circuit single mating end 1st contact grouping

**Included Contact Quantity:**

7 single mating end 1st contact grouping

**Included Contact Type:**

Square pin single mating end 1st contact grouping

**Special Features:**

Contact position four is omitted; eight total positions; weapon system essential

**Precious Material And Location:**

Contact surfaces gold

**Precious Material And Weight:**

0.007 gold grains, troy

**Precious Material:**

Gold

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-g-45204 spec.