Electrical Connector Backshell - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5935-01-327-7487

Thread Class: 2b Thread Direction: Right-hand End Application: 2350-01-305-0028 howitzer, medium, self-propelled Cable Opening Diameter: Between 0.250 inches and 0.605 inches Thread Length: 0.290 inches Cable Opening Quantity: 1 20 Size Designation: 16 Mounting Facility Type And Quantity: 1 threaded coupling Thread Y Qty Per Inch (tpl): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Material: Na Material: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Na Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia: Materia:	Thread	Class
Thread Direction: Right-hand End Application: 2350-01-305-0028 howitzer, medium, self-propelled Cable Opening Diameter: Between 0.250 inches and 0.605 inches Thread Length: 0.290 inches Cable Opening Quantity: 1 1 Size Designation: 16 Mounting Facility Type And Quantity: 1 thread coupling Thread Yape Inch (tpi): 20 100 inches Special Features: 1000 inches Surface Treatment: Cadmium and nickel, electrical heating Marine: Striface Treatment: Cadmium and nickel, electroless Thread Series Designator: Via Unef Shef Urfe: Na Unef Shef Urfe: Na Thread Series Designator: Shef Urfe: Na Shef Urfe:		
Right-hand End Application: 2350-01-305-0028 howitzer, medium, self-propelled Cable Opening Diameter: Between 0.250 inches and 0.605 inches Thread Length: 0.290 inches Cable Opening Quantity: 1 1 Size Designation: 16 Mounting Facility Type And Quantity: 1 threaded coupling Thread Jype Inch (tpl): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Auminum alloy Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Urief Sheight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unief Sheight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unief Sheight type Thread Series Designator: Toread Series Designator: Thread Series Designator: Thread Series Designator: Thread Series Designator: Thread Series Designator: Sheight type Sheight type </th <th></th> <th>Direction</th>		Direction
End Application: 2350-01-305-0028 howitzer, medium, self-propelled Cable Opening Diameter: Between 0.250 inches and 0.605 inches Thread Length: 0.290 inches Cable Opening Quantity: 1 Size Designation: 1 6 Mounting Facility Type And Quantity: 1 threaded coupling Thread Y per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unit of Measure: U		
2350-01-305-0028 howitzer, medium, self-propelled Cable Opening Diameter: Between 0.250 inches and 0.605 inches Thread Length: 0.290 inches Cable Opening Quantity: 1 Size Designation: 1 Size Designation: 16 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Auminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Wa Unit Of Measure: Demilitarization: No		
Cable Opening Diameter: Between 0.250 inches and 0.605 inches Thread Length: 0.290 inches Cable Opening Quantity: 1 Size Designation: 16 Mounting Facility Type And Quantity: 1 threaded coupling Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium an nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium an nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Na Diel Life: Na Thread		
Between 0.250 inches and 0.605 inches Thread Length: 0.290 inches Cable Opening Quantity: 1 Size Designation: 1 Mounting Facility Type And Quantity: 1 threaded coupling Thread Size: 1 threaded coupling Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: Na Unit Of Measure: Demilitarization: No Filg:		
Thread Length: 0.290 inches Cable Opening Quantity: 1 Size Designation: 16 Mounting Facility Type And Quantity: 1 threaded coupling Thread Y per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shef Life: N/a Unit Of Measure: Demilitarization: No Fig:		
0.290 inches Cable Opening Quantity: 1 Size Designation: 16 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Sheff Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Cable Opening Quantity: 1 Size Designation: 16 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
1 Size Designation: 16 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Size Designation: 16 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		Opening Quantity:
16 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit of Measure: - Demilitarization: No Fig:		
Mounting Facility Type And Quantity: 1 threaded coupling Thready Qtp Per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		esignation:
1 threade coupling Thready Qty Per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unt Of Measure: Demilitarization: No Fig:		
Thready Qty Per Inch (tpi): 20 Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
20 Thread Size: I.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Thread Size: 1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		y wy Per inch (tpi):
1.000 inches Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	-	
Special Features: Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Dielectric lined ring for electrical heating Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Surface Treatment: Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Cadmium and nickel Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		-
Style Designator: Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Straight type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Unef Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		Series Designator:
N/a Unit Of Measure: Demilitarization: No Fiig:		
Unit Of Measure: Demilitarization: No Fiig:		ire:
 Demilitarization: No Fiig:		Meanura
Demilitarization: No Fiig:		measure:
No Fiig:		
Fiig:		arization:
1 1 0 1 0 0		