

View Online at <https://aerobasegroup.com/nsn/5935-01-329-8699>

Body Style:

Angle shape

Overall Length:

3.260 inches

Overall Height:

0.895 inches

Overall Width:

0.340 inches

Body Length:

2.910 inches

Body Height:

0.549 inches

Unthreaded Mounting Hole Diameter:

0.096 inches

Distance Between Mounting Facility Centers:

2.860 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

2 rows of contacts non-inserted board single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

1.0 single mating end single contact grouping

Polarization Method:

Mating end

Connector Locking Method:

Latch

End Application:

2arleigh burke class ddg; oliver perry class ffg; engine, aircraft tf33-pw-102 (c-135e, ec-135h/k/p); forrestal class cv; spruance class dd (963); ticonderoga class cg (47); seawolf class ssn; landing craft air cushion (lcac); nimitz class cvn

Terminal Location:

Side single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Insert Material:

Plastic single mating end

Criticality Code Justification:

Feat

Terminal Type:

Printed circuit single mating end single contact grouping

Included Contact Quantity:

50 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Special Features:

Weapon system essential

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.050 gold grains, troy

Precious Material:

Gold

Specification Data:

28480-1252-1064 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0