

View Online at <https://aerobasegroup.com/nsn/5935-01-331-3145>

**Body Style:**

Angle shape, pcb type

**Overall Length:**

Between 6.140 inches and 6.160 inches

**Overall Height:**

0.600 inches

**Overall Width:**

Between 0.244 inches and 0.254 inches

**Environmental Protection:**

Fungus resistant

**Unthreaded Mounting Hole Diameter:**

Between 0.069 inches and 0.072 inches

**Distance Between Mounting Facility Centers:**

Between 5.845 inches and 5.855 inches

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

2 rows of contacts non-inserted board single mating end

**Contact Removability:**

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:**

5.0 single mating end single contact grouping

**Polarization Method:**

Guide pin/socket

**Shell Type:**

Solid

**Connector Locking Method:**

Friction

**End Application:**

Tactical air operations module an/tyq-2 (v) 1

**Terminal Location:**

Side single mating end single contact grouping

**Contact Material:**

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

**Insert Material:**

Plastic polyamide single mating end

**Contact Surface Treatment Specification:**

Mil-g-45204, type ii, grade c, class 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290, class 1 federal specification 2nd treatment response single mating end single contact grouping

**Terminal Type:**

Pin single mating end single contact grouping

**Contact Material Specification:**

Qq-b-613, composition 260, 1/2 hard federal specification single material response single mating end single contact grouping

**Shell Material:**

Aluminum alloy 6061

**Shell Surface Treatment:**

Chromate

**Shell Surface Treatment Specification:**

Mil-c-5541, class 1a military specification single treatment response or mil-f-14072, class ii military specification single treatment response

**Shell Material Specification:**

Qq-a-200/8, t6 federal specification single material response

**Insert Material Specification:**

L-p-410 federal specification single material response single mating end or mil-m-20693, type 1 military specification single material response single mating end

**Unable To Decode:**

Unable to decode and unable to decode

**Included Contact Quantity:**

110 single mating end single contact grouping

**Included Contact Type:**

Flat pin single mating end single contact grouping

**Precious Material And Location:**

Contact surfaces gold

**Precious Material And Weight:**

0.110 gold grains, troy

**Precious Material:**

Gold

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-g-45204 spec.