NSN 5935-01-331-7645

Electrical Modular Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-331-7645

Body Style:

Rectangular shape

Overall Length:

6.230 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 5.640 inches and 5.660 inches

Overall Height:

1.396 inches

Overall Width:

Between 1.410 inches and 1.430 inches

Unthreaded Mounting Hole Diameter:

0.160 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 0.580 inches and 0.600 inches

Mating End Quantity:

1

Contact Removability:

Removable single mating end all contact groupings

Polarization Method:

Guide pin/socket

Shell Type:

Solid

Connector Locking Method:

Friction

End Application:

Tactical air operations module an/tqy-2 (v) 1

Terminal Location:

Back single mating end all contact groupings

Contact Material:

Copper alloy single mating end all contact groupings

Contact Surface Treatment:

Gold and nickel or gold and copper single mating end all contact groupings

Insert Material:

Plastic diallyl phthalate glass filled single mating end

Contact Surface Treatment Specification:

Mil-g-45204, type 2, cl 1, grade c military specification 1st treatment response and qq-n-290, cl 2 federal specification 2nd treatment response or mil-g-45204, type 2, cl 1, grade c military specification 3rd treatment response and mil-c-14550, cl 4 military specification 4th treatment response single mating end all contact groupings

Terminal Type:

Solder well single mating end all contact groupings

Contact Material Specification:

Qq-b-626 federal specification single material response or qq-b-750 federal specification single material response or qq-c-530 federal specification single material response single mating end all contact groupings

Shell Material:

Steel or aluminum

NSN 5935-01-331-7645

Electrical Modular Receptacle Connector - Page 2 of 2



Shell Surface Treatment: Cadmium or copper alloy and anodize **Insert Material Specification:** Mil-m-14, sdg-f military specification single material response single mating end **Included Contact Quantity:** 6 single mating end 1st contact grouping **Included Contact Type:** Round pin single mating end all contact groupings **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.080 gold grains, troy **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Mil-std (military Standard):

Mil-g-45204 spec.

Fiig: A039b0