

View Online at https://aerobasegroup.com/nsn/5935-01-332-3296

| Thread Class:  |  |
|--|--|
| 2a and 2b  |  |
| Thread Direction:  |  |
| Right-hand   |  |
| Body Style:  |  |
| Hood, side opening w/clamp   |  |
| Overall Length:  |  |
| 2.719 inches   |  |
| Overall Height:  |  |
| 2.546 inches   |  |
| Overall Width:   |  |
| 1.188 inches   |  |
| Environmental Protection:  |  |
| Corrosion resistant  |  |
| Cable Entrance Diameter:   |  |
| 1.000 inches   |  |
| Threaded Device Type:  |  |
| Coupling facility  |  |
| Mating End Quantity:   |  |
| 1  |  |
| Contact Position Arrangement Style:  |  |
| 75 single mating end   |  |
| Polarization Method:   |  |
| Jackscrew and shell  |  |
| Shell Type:  |  |
| Solid  |  |
| Connector Locking Method:  |  |
| Jackscrew-socket   |  |
| Connector Cable Strain Relief Method:  |  |
| Cable clamp  |  |
| Thready Qty Per Inch (tpi):  |  |
| 32   |  |
| Thread Size:   |  |
| 0.138 inches   |  |
| Insert Material:   |  |
| Plastic diallyl phthalate single mating end  |  |
| Shell Material:  |  |
| Aluminum   |  |
| Shell Surface Treatment:   |  |
| Anodize  |  |
| Insert Material Specification:   |  |
| Mil-m-14, ty sdg-f military specification single material response single mating end |  |
|  |  |

Electrical Plug Connector Body - Page 2 of 2



Shell Guide Type And Location Designator:

D slot

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.