## NSN 5935-01-333-4276

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-333-4276

**Body Style:** 

Straight shape w/solder mount

**Overall Length:** 

0.494 inches

**Overall Diameter:** 

Between 0.896 inches and 0.917 inches

**Environmental Protection:** 

Corrosion resistant

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

36130 single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

68.0

**Shell Type:** 

Solid

**Connector Locking Method:** 

Bayonet pin

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Nickel alloy single mating end single contact grouping and iron alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and copper single mating end single contact grouping and nickel single mating end single contact grouping

**Insert Material:** 

Glass single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204 military specification 1st treatment response single mating end single contact grouping and mil-c-14550 military specification 2nd treatment response single mating end single contact grouping and qq-n-290 federal specification 3rd treatment response single mating end single contact grouping

**Terminal Type:** 

Tab, solder lug single mating end single contact grouping

**Contact Material Specification:** 

Mil-i-23011, cl 2 military specification all material responses single mating end single contact grouping

**Shell Material:** 

Steel comp 303

**Shell Surface Treatment:** 

Passivate

**Shell Material Specification:** 

Og-c-764 federal enecification single material response

## NSN 5935-01-333-4276

Electrical Receptacle Connector - Page 2 of 2



## **Included Contact Quantity:**

10 single mating end single contact grouping

**Included Contact Type:** 

Round pin single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.010 gold grains, troy

**Precious Material:** 

Gold

**Supplementary Features:** 

Mounting method - solder

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-i-23011 spec.