## NSN 5935-01-334-9727

Rubber silicone class q single mating end

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-334-9727

Thread Class:
2a and 2a
Thread Direction:
Right-hand and right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.336 inches
Overall Height:
1.814 inches
Overall Width:
1.814 inches
Environmental Protection:
Salt spray proof and moisture resistant and vibration resistant and fuel resistant and chemical resistant and oil resistant
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 1.375 inches and 1.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 1.375 inches and 1.500 inches
Distance From Mounting Shoulder To Front Face:
0.819 inches
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
24-155 single mating end
Polarization Method:
Key, multiple key groove
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Operating Tempurature Rating:
Between -65.0 degrees celsius and 175.0 degrees celsius
Thready Qty Per Inch (tpi):
28 and 10
Thread Size:
1.500 inches and 1.688 inches
Insert Material:

## NSN 5935-01-334-9727

Electrical Receptacle Connector Body - Page 2 of 2



Special Features:
-------------------

Composite material shell, tin alloy finish

**Thread Series Designator:** 

Un and special acme

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0