NSN 5935-01-336-2277

Electrical Plug Connector - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5935-01-336-2277

Coupling facility Mating End Quantity: Contact Position Arrangement Style: 24-27 single mating end Shell Type: Solid Thread Qty Per Inch (tpi): 18 Thread Size: 1.438 inches Shell Material: Aluminum alloy Included Contact Quantity: 7 single mating end single contact grouping Test Data Document: 81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Under Shelf Life: N/a Juit Of Measure:
Contact Position Arrangement Style: 24-27 single mating end Shell Type: Solid Thready Qty Per Inch (tpi): 18 Thread Size: 1.438 inches Shell Material: Aluminum alloy ncluded Contact Quantity: 7 single mating end single contact grouping Test Data Document: 21349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
Contact Position Arrangement Style: 24-27 single mating end Shell Type: Solid Thready Qty Per Inch (tpi): 18 Thread Size: 1.438 inches Shell Material: Aluminum alloy Included Contact Quantity: 7 single mating end single contact grouping Test Data Document: 31349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
24-27 single mating end Shell Type: Solid Thready Qty Per Inch (tpi): 18 Thread Size: 1.438 inches Shell Material: Aluminum alloy Included Contact Quantity: 7 single mating end single contact grouping Test Data Document: 81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
Shell Type: Solid Thready Qty Per Inch (tpi): 18 Thread Size: 1.438 inches Shell Material: Aluminum alloy ncluded Contact Quantity: 7 single mating end single contact grouping Test Data Document: 81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: W/a Unit Of Measure:
Solid Thready Qty Per Inch (tpi): 18 Thread Size: 1.438 inches Shell Material: Aluminum alloy ncluded Contact Quantity: 7 single mating end single contact grouping Test Data Document: 81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
Thread Size: 1.438 inches Shell Material: Aluminum alloy Included Contact Quantity: 7 single mating end single contact grouping Test Data Document: 81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain servironmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
Thread Size: 1.438 inches Shell Material: Aluminum alloy ncluded Contact Quantity: 7 single mating end single contact grouping Test Data Document: 81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
Thread Size: 1.438 inches Shell Material: Aluminum alloy Included Contact Quantity: 7 single mating end single contact grouping Fest Data Document: 81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: W/a Unit Of Measure:
Shell Material: Aluminum alloy Included Contact Quantity: To single mating end single contact grouping Test Data Document: B1349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: W/a Unit Of Measure:
Shell Material: Aluminum alloy ncluded Contact Quantity: 7 single mating end single contact grouping Fest Data Document: 31349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Fibread Series Designator: Unef Shelf Life: W/a Unit Of Measure:
Aluminum alloy ncluded Contact Quantity: 7 single mating end single contact grouping Fest Data Document: 81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Fibread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
rest Data Document: 31349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
Test Data Document: 31349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: W/a Unit Of Measure:
Test Data Document: 31349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
B1349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:
Thread Series Designator: Jinef Shelf Life: N/a Jinit Of Measure:
Unef Shelf Life: N/a Unit Of Measure:
Shelf Life: N/a Jnit Of Measure:
N/a Jnit Of Measure:
Jnit Of Measure:
-
Demilitarization:
No
Filg:
A039b0
Mil-std (military Standard):
Mil-c-5015 spec.