

View Online at https://aerobasegroup.com/nsn/5935-01-337-3333

| Body Material: |
|--|
| Plastic |
| Thread Class: |
| |
| 2a Thread Direction: |
| |
| Right-hand |
| Body Style: |
| Rectangular |
| Overall Length: |
| Between 1.710 inches and 1.730 inches |
| Overall Height: |
| 0.890 inches |
| Overall Width: |
| 1.015 inches |
| Mounting Hole Diameter: |
| 0.112 inches |
| Body Mounting Hole Accommodation Length: |
| 1.160 inches |
| Body Mounting Hole Accommodation Width: |
| 1.100 inches |
| Mounting Hole Style: |
| Rectangular, w/three mounting holes/slots |
| Contact Maximum Current Rating In Amps: |
| 25.0 |
| Contact Material: |
| Copper alloy |
| Contact Surface Treatment: |
| Gold and copper and nickel |
| Accommodated Contact Quantity: |
| 11 |
| Center To Center Distance Between Outside Mounting Holes Along Length: |
| 1.406 inches |
| Center To Center Distance Between Outside Mounting Holes Along Width: |
| 0.625 inches |
| Polarization Type: |
| Contact position |
| Mounting Method: |
| Threaded stud |
| Mounting Type For Which Designed: |
| Chassis |
| Thready Qty Per Inch (tpi): |
| 40 |



Thread Size:

0.112 inches

Contact Position Arrangement Style:

Irregular

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.011 gold grains, troy

Precious Material:

Gold

Test Data Document:

81349-mil-s-12883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc

Terminal Type And Quantity:

11 crimp

Specification Data:

81349-mil-s-12883/48 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A02300