NSN 5935-01-340-7447

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-340-7447

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Rectangular shape
Overall Length:
0.470 inches
Overall Height:
0.380 inches
Overall Width:
0.165 inches
Environmental Protection:
Thermal shock resistant and salt water resistant and vibration resistant and moisture resistant and heat resistant and cold resistant
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
10 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Jackscrew
Connector Locking Method:
Jackscrew-socket
Operating Tempurature Rating:
Between -55.0 degrees celsius and 125.0 degrees celsius
Thready Qty Per Inch (tpi):
80
Thread Size:
0.060 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic polyester glass filled single mating end or plastic polyamide single mating end and glass single mating end

Mil-g-45204, type 2, grade c, cl 1 military specification single treatment response single mating end single contact grouping

Contact Surface Treatment Specification:

NSN 5935-01-340-7447

Electrical Plug Connector - Page 2 of 2



Terminal Type:

Solder well single mating end single contact grouping

Insert Material Specification:

Mil-m-24519, ty gpt-30f military specification 1st material response single mating end or l-p-395 federal specification 2nd material response single mating end and l-p-395 federal specification 3rd material response single mating end

Included Contact Quantity:

10 single mating end single contact grouping

Included Contact Type:

Twisted pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.010 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.