## NSN 5935-01-340-7468

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-340-7468

**Body Style:** Straight shape **Overall Length:** 0.492 inches **Overall Height:** 0.593 inches **Overall Width:** 0.228 inches **Mating End Quantity: Contact Position Arrangement Style:** 1 row of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 1.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 28.0 single mating end single contact grouping **Polarization Method:** Polarization wall **Connector Locking Method:** Friction **End Application:** 6625-01-225-0087 meter, impedance **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic single mating end **Terminal Type:** Printed circuit single mating end single contact grouping **Included Contact Quantity:** 6 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold

0.006 gold grains, troy

**Precious Material And Weight:** 

## NSN 5935-01-340-7468

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Specification Data:
28480-1251-6527 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0