## NSN 5935-01-341-0738

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-341-0738

Body Style:
Straight type
Overall Length:
4.750 inches
Overall Height:
0.700 inches
Overall Width:
0.495 inches
Unthreaded Mounting Hole Diameter:
0.098 inches
Distance Between Mounting Facility Centers:
4.450 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
3 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic polyester glass filled single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, grade c, cl 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290
federal specification 2nd treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:
Qq-c-533 federal specification single material response single mating end single contact grouping
Included Contact Quantity:

## Included Contact Type:

Square socket single mating end single contact grouping

120 single mating end single contact grouping

## **Precious Material And Location:**

Contact surfaces gold

## NSN 5935-01-341-0738

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.120 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.