Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-342-3117

Body Style:	
Straight shape	
Overall Length:	
7.750 inches	
Overall Width:	
0.370 inches	
Unthreaded Mounting Hole Diameter:	
Between 0.068 inches and 0.073 inches	
Distance Between Mounting Facility Centers:	
7.550 inches	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
4 rows of contacts non-inserted board single mating end	
Contact Removability:	
Nonremovable single mating end single contact grouping	
Contact Maximum Current Rating In Amps:	
3.0 single mating end single contact grouping	
Polarization Method:	
Guide pin/socket	
Shell Type:	
Solid	
Connector Locking Method:	
Friction	
Terminal Location:	
Back single mating end single contact grouping	
Contact Material:	
Copper alloy 260 single mating end single contact grouping	
Contact Surface Treatment:	
Gold single mating end single contact grouping and nickel single mating end single contact grouping and copper single mating end	nd single
contact grouping	
Insert Material:	
Plastic diallyl phthalate glass filled single mating end	
Contact Surface Treatment Specification:	
Mil-g-45204, type 2, grade c or d, cl 1 military specification 1st treatment response single mating end single contact grouping an	d qq-n-290,
type 7, cl 1 federal specification 2nd treatment response single mating end single contact grouping and mil-c-14550, cl 4 military	specification
3rd treatment response single mating end single contact grouping	
Terminal Type:	
Pin single mating end single contact grouping	
Contact Material Specification:	
Qq-b-613 federal specification single material response single mating end single contact grouping	
Shell Material:	
Aluminum alloy 6061	
Shell Surface Treatment:	

Shell Surface Treatment:

Anadiza

Electrical Receptacle Connector - Page 2 of 2



Mil-a-8625	ace Treatment Specification:
	erial Specification:
	federal specification single material response
-	terial Specification:
	ty sdg-f military specification single material response single mating e
	Contact Quantity:
	mating end single contact grouping
-	Contact Type:
	single mating end single contact grouping
Color:	g
Black	
Precious	Material And Location:
Contact su	Irfaces gold
Precious	Material And Weight:
0.280 gold	grains, troy
Precious	Material:
Gold	
Shelf Life	:
N/a	
Unit Of M	easure:
Demilitari	zation:
No	
Fiig:	
A039b0	
Mil-std (m	ilitary Standard):
	14 spec.