# NSN 5935-01-342-5746

Thread Class: 2a and 2b

**Thread Direction:** 

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-342-5746

Right-hand
Body Style:
Straight shape
Overall Length:
1.850 inches
Overall Height:
0.605 inches
Overall Width:
0.250 inches
Environmental Protection:
Vibration resistant and salt water resistant and corrosion resistant and humidity resistant
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Jackscrew
Connector Locking Method:
Jackscrew-socket
Operating Tempurature Rating:
Between -65.0 degrees celsius and 125.0 degrees celsius
Thready Qty Per Inch (tpi):
56
Thread Size:
0.086 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic polyphenylene single mating end

## NSN 5935-01-342-5746

Electrical Plug Connector - Page 2 of 2



#### **Contact Surface Treatment Specification:**

Mil-g-45204, type 2, grade c, cl 1 military specification 1st treatment response single mating end single contact grouping

#### **Terminal Type:**

Pin single mating end single contact grouping

### **Contact Material Specification:**

Qq-c-530 federal specification single material response single mating end single contact grouping

### **Insert Material Specification:**

Mil-p-46174 military specification single material response single mating end

### **Included Contact Quantity:**

20 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

### **Precious Material And Weight:**

0.020 gold grains, troy

#### **Precious Material:**

Gold

## **Thread Series Designator:**

Unc

## Shelf Life:

N/a

## **Unit Of Measure:**

\_

## **Demilitarization:**

No

# Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.