Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-342-8921

#### **Body Style:**

Rectangular shape

## **Overall Length:**

5.740 inches

# **Overall Height:**

1.490 inches

### **Overall Width:**

0.280 inches

#### **Environmental Protection:**

Moisture resistant and vibration resistant and shock resistant and corrosion resistant

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

2 rows of contacts non-inserted board single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

## Contact Maximum Current Rating In Amps:

3.0 single mating end single contact grouping

# Contact Maximum Ac Voltage Rating In Volts:

300.0 single mating end single contact grouping

## Shell Type:

Solid

## **Connector Locking Method:**

Friction

## **Operating Tempurature Rating:**

Between -55.0 degrees celsius and 125.0 degrees celsius

#### **Contact Material:**

Copper alloy 260 single mating end single contact grouping

# **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

# **Insert Material:**

Plastic diallyl phthalate glass filled single mating end

# **Contact Surface Treatment Specification:**

Mil-g-45204, type 2, grade c, cl 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl 1

federal specification 2nd treatment response single mating end single contact grouping

# **Contact Material Specification:**

Qq-b-613, 1/2 hard federal specification single material response single mating end single contact grouping

# Shell Material:

Aluminum alloy 6061

# Shell Surface Treatment:

Anodize

# Shell Surface Treatment Specification:

Mil-a-8625, type 3, cl 2 military specification single treatment response

# NSN 5935-01-342-8921

Electrical Plug Connector - Page 2 of 2



**Shell Material Specification:** Astm-b-317 assn standard single material response **Insert Material Specification:** Mil-m-14, ty sdg-f military specification single material response single mating end **Included Contact Quantity:** 100 single mating end single contact grouping Included Contact Type: Flat pin single mating end single contact grouping **Special Features:** Crossover contacts **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.100 gold grains, troy **Precious Material:** Gold Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.