## NSN 5935-01-345-3789

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-345-3789

**Body Style:** Right angle type **Overall Length:** 1.110 inches Overall Width: 0.520 inches **Body Height:** Between 0.310 inches and 0.350 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 1.0 single mating end single contact grouping **Polarization Method:** Mating end **Connector Locking Method:** Friction **End Application:** An/sqm-5a **Operating Tempurature Rating:** Between -55.0 degrees celsius and 105.0 degrees celsius **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic polyester glass filled single mating end **Contact Surface Treatment Specification:** Mil-g-45204 military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl 2 federal specification 2nd treatment response single mating end single contact grouping **Terminal Type:** Pin single mating end single contact grouping **Included Contact Quantity:** 16 single mating end single contact grouping

Included Contact Type:

Square pin single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

## NSN 5935-01-345-3789

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.016 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.