Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-347-8826

View Online at https://aerobasegroup.com/nsn/5935-01-347-8826	
Body Style:	
Straight type	
Overall Length:	
1.310 inches	
Overall Height:	
0.766 inches	
Overall Width:	
0.380 inches	
Environmental Protection:	
Heat resistant and cold resistant	
Unthreaded Mounting Hole Diameter:	
0.120 inches	
Distance Between Mounting Facility Centers:	
1.000 inches	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
9 single mating end	
Contact Removability:	
Removable single mating end single contact grouping	
Contact Maximum Current Rating In Amps:	
7.5 single mating end single contact grouping	
Connector Locking Method:	
Friction	
Operating Tempurature Rating:	
Between -65.0 degrees celsius and 150.0 degrees celsius	
Terminal Location:	
Back single mating end single contact grouping	
Contact Material:	
Copper alloy single mating end single contact grouping	
Contact Surface Treatment:	
Gold single mating end single contact grouping and nickel single mating end single contact grouping or gold single mating end single contact	
grouping and copper single mating end single contact grouping	
Insert Material:	
Plastic diallyl phthalate glass filled single mating end	
Terminal Type:	
Crimp single mating end single contact grouping	
Insert Material Specification:	
Mil-m-14, ty sdg-f military specification single material response single mating end	
Included Contact Quantity:	
9 single mating end single contact grouping	
Included Contact Type:	

Round pin single mating end single contact grouping

NSN 5935-01-347-8826

Electrical Receptacle Connector - Page 2 of 2



Color:

Gray

Precious Material And Location:

C0ntact surfaces gold

Precious Material And Weight:

0.009 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.