NSN 5935-01-348-7844

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-348-7844

Body Style: Right angle type **Overall Length:** 4.358 inches **Overall Width:** 1.338 inches **Body Height:** 0.335 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Connector Locking Method:** Friction **End Application:** Nseawolf class ssn, nimitz class cvn, los angeles class ssn (688), oliver perry class ffg, ticonderoga class cg (47), forrestal class cv, spruance class dd (963), arleigh burke class ddg. Landing craft air cushion. **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic single mating end **Contact Surface Treatment Specification:** Mil-g-45204 military specification single treatment response single mating end single contact grouping **Criticality Code Justification:** Feat **Terminal Type:** Pin single mating end single contact grouping **Included Contact Quantity:**

40 single mating end single contact grouping

Included Contact Type:

Square socket single mating end single contact grouping

Special Features:

Weapon system essential

Precious Material And Location:

Contact and terminal surfaces gold

NSN 5935-01-348-7844

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.040 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.