NSN 5935-01-349-0051

Thread Class:

Thread Direction:

2a

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-349-0051

Right-hand	
Body Style:	
Angle shape	
Overall Length:	
0.910 inches	
Overall Height:	
1.340 inches	
Overall Width:	
0.500 inches	
Environmental Protection:	
Vibration resistant and shock resistant and corrosion resistant and moisture resistant	
Threaded Device Type:	
Back shell and mounting bushing	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
Bnc single mating end	
Contact Removability:	
Nonremovable single mating end single contact grouping	
Shell Type:	
Solid	
Connector Locking Method:	
Friction	
Radio Frequency Type Contact Characteristic Impedance In Ohms:	
50.0 single mating end single contact grouping	
Thready Qty Per Inch (tpi):	
32	
Thread Size:	
0.375 inches	
Terminal Location:	
Side single mating end single contact grouping	
Contact Material:	
Copper alloy single mating end single contact grouping	
Contact Surface Treatment:	
Gold single mating end single contact grouping	
Insert Material:	
Plastic polytetrafluoroethylene single mating end	
Contact Surface Treatment Specification:	
Mil-g-45402 military specification single treatment response single mating end single contact groups	ouping

NSN 5935-01-349-0051

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end single contact grouping or qq-c-533 federal specification single
material response single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Silver
Shell Surface Treatment Specification:
Qq-s-365 federal specification single treatment response
Shell Material Specification:
Qq-b-626 federal specification single material response
Insert Material Specification:
Mil-p-19468 military specification single material response single mating end
Included Contact Quantity:
1 single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round w/flat
Included Contact Type:
Coaxial pin single mating end single contact grouping
Precious Material And Location:
Contact surface gold and shell surface silver
Precious Material And Weight:
0.005 gold grains, troy and 0.100 silver grains, troy
Precious Material:
Gold and silver
Supplementary Features:
Mounting method - bushing
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

Fiig: A039b0

Mil-std (military Standard):

Mil-g-45402 spec.