Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-349-0911

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
Between 1.263 inches and 1.283 inches
Overall Height:
Between 1.121 inches and 1.141 inches
Overall Width:
Between 1.121 inches and 1.141 inches
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
13-98 single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
Key, multiple key groove
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Operating Tempurature Rating:
Between -65.0 degrees celsius and 175.0 degrees celsius
Thready Qty Per Inch (tpi):
28
Thread Size:
0.750 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic epoxy single mating end

NSN 5935-01-349-0911

Electrical Receptacle Connector - Page 2 of 2



Shell Material: Aluminum alloy Included Contact Quantity: 10 single mating end single contact grouping Included Contact Type: Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.010 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Special acme Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0