NSN 5935-01-349-6862

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-349-6862

Body Style:

Straight shape

Overall Length:

Between 2.191 inches and 2.201 inches

Overall Height:

0.475 inches

Overall Width:

Between 0.119 inches and 0.129 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

1 row of contacts non-inserted board single mating end

Contact Removability:

Nonremovable single mating end all contact groupings

Contact Maximum Current Rating In Amps:

5.0 all mating ends single contact grouping

Polarization Method:

Contact

Connector Locking Method:

Friction

Operating Tempurature Rating:

Between -65.0 degrees celsius and 125.0 degrees celsius

Terminal Location:

Back single mating end all contact groupings

Contact Material:

Copper alloy single mating end all contact groupings

Contact Surface Treatment:

Gold single mating end all contact groupings and nickel single mating end all contact groupings

Insert Material:

Plastic phenolic single mating end and glass single mating end or plastic polyphenylene single mating end or plastic diallyl phthalate glass filled single mating end

Contact Surface Treatment Specification:

Mil-g-45204, type ii, grade c, class 1 military specification 1st treatment response single mating end all contact groupings

Criticality Code Justification:

Feat

Terminal Type:

Printed circuit single mating end all contact groupings

Contact Material Specification:

Qq-c-530 federal specification single material response single mating end all contact groupings or qq-b-626 federal specification single material response single mating end all contact groupings

Included Contact Quantity:

1 single mating end 1st contact grouping21 single mating end 2nd contact grouping

Included Contact Type:

Round socket single mating end all contact groupings

NSN 5935-01-349-6862

Electrical Receptacle Connector - Page 2 of 2



Special Features:
Socket 3 larger for polarization
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.022 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-g-45204 spec.

A039b0