NSN 5935-01-349-7993

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-349-7993

Overall Width:

1.766 inches

Environmental Protection:

Thermal shock resistant and vibration resistant and shock resistant

Unthreaded Mounting Hole Diameter:

0.120 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 1.250 inches and 1.375 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.250 inches and 1.375 inches

Distance From Mounting Shoulder To Front Face:

0.556 inches

Flange Length:

1.766 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

22-96 single mating end

Polarization Method:

Keyway or multiple keyway

Insert Position In Deg:

319.0

Shell Type:

Solid

Connector Locking Method:

Bayonet slot

Connector Cable Strain Relief Method:

Cable clamp

Distance From Centerline To Connector End:

3.306 inches

Distance From Centerline To Cable End:

2.125 inches

Operating Tempurature Rating:

Between -55.0 degrees celsius and 125.0 degrees celsius

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

Shell Surface Treatment Specification:

Qq-p-416, type ii, class 3 federal specification all treatment responses

Shelf Life:

N/a

NSN 5935-01-349-7993

Electrical Receptacle Connector Body - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A039b0