

View Online at <https://aerobasegroup.com/nsn/5935-01-349-8033>

**Body Style:**

Straight shape

**Overall Length:**

1.596 inches

**Overall Height:**

0.475 inches

**Overall Width:**

0.124 inches

**Environmental Protection:**

Vibration resistant and shock resistant and humidity resistant and salt water resistant and thermal shock resistant

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

1 row of contacts non-inserted board single mating end

**Contact Removability:**

Nonremovable single mating end 1st contact grouping

**Contact Maximum Current Rating In Amps:**

5.0 single mating end 1st contact grouping

**Polarization Method:**

Contact

**Connector Locking Method:**

Friction

**Operating Temperature Rating:**

Between -65.0 degrees celsius and 125.0 degrees celsius

**Terminal Location:**

Back single mating end 1st contact grouping

**Contact Material:**

Copper alloy single mating end 1st contact grouping

**Contact Surface Treatment:**

Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping

**Insert Material:**

Plastic phenolic single mating end and glass fiber single mating end or plastic polyphenylene single mating end

**Contact Surface Treatment Specification:**

Mil-g-45204, type 2, cl 1, grade c military specification 1st treatment response single mating end 1st contact grouping and qq-n-290, cl 1 federal specification 2nd treatment response single mating end 1st contact grouping

**Terminal Type:**

Printed circuit single mating end 1st contact grouping

**Contact Material Specification:**

Qq-c-530 federal specification single material response single mating end 1st contact grouping

**Insert Material Specification:**

Mil-p-46174 military specification 1st material response single mating end and mil-p-46174 military specification 2nd material response single mating end or mil-m-14 military specification 3rd material response single mating end

**Included Contact Quantity:**

15 single mating end 1st contact grouping

**Included Contact Type:**

Round socket single mating end 1st contact grouping

**Precious Material And Location:**

Contact surfaces gold

**Precious Material And Weight:**

0.015 gold grains, troy

**Precious Material:**

Gold

**Specification Data:**

89954-293e854 manufacturers specification control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-g-45204 spec.