Electrical Plug Connector - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5935-01-355-0357

Thread Class:
2a and 2b
Thread Direction:
Left-hand and right-hand
Body Style:
Straight shape, internal coupling
Overall Length:
1.860 inches
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
32-17 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
315.0
Shell Type:
Solid
Connector Locking Method:
Internally threaded coupling ring
Thready Qty Per Inch (tpi):
16 and 10
Thread Size:
1.875 inches and 2.000 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Silver single mating end single contact grouping
Insert Material:
Plastic single mating end
Contact Surface Treatment Specification:
Qq-s-365 federal specification single treatment response single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:
Ams 4610 assn standard single material response single mating end single contact grouping

NSN 5935-01-355-0357 Electrical Plug Connector - Page 2 of 2



Shell Mater	
-	302 or steel comp 303
	ce Treatment:
Passivate	
Shell Surfa	ce Treatment Specification:
Qq-p-35 fed	leral specification single treatment response
Shell Mater	rial Specification:
Qq-s-763 fe	ederal specification 1st material response or astm a582-75 assn standard 2nd material response
Included C	ontact Quantity:
4 single mat	ting end single contact grouping
Included Co	ontact Type:
Round sock	tet single mating end single contact grouping
Precious M	laterial And Location:
Contact sur	faces silver
Precious M	laterial And Weight:
0.020 silver	grains, troy
Precious M	laterial:
Silver	
Thread Ser	ies Designator:
Un and dou	ble stub
Shelf Life:	
N/a	
Unit Of Mea	asure:
Demilitariza	ation:
No	
Fiig:	
A039b0	