NSN 5935-01-357-5401

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-357-5401

View Online at https://aerobasegroup.com/nsn/5935-01-357-5401
Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Angle shape
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
Tnc single mating end
Contact Removability:
Removable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Internally threaded coupling nut
Width Across Flats:
0.800 inches
Thready Qty Per Inch (tpi):
28
Thread Size:
0.438 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping and rhodium single mating end single
contact grouping
Insert Material:
Plastic polytetrafluoroethylene single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification 1st treatment response single mating end single contact grouping and qq-s-365 federal specification 2nd
treatment response single mating end single contact grouping and mil-r-46085 military specification 3rd treatment response single mating
end single contact grouping
Terminal Type:
Crimp single mating end single contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end single contact grouping

Daccivato

Steel

Shell Material:

Shell Surface Treatment:

NSN 5935-01-357-5401

Electrical Plug Connector - Page 2 of 2



Shell Surface Treatment Specification:

Astm a380 assn standard single treatment response

Shell Material Specification:

Astm a582 assn standard single material response

Insert Material Specification:

Astm d1457 assn standard single material response single mating end

Included Contact Quantity:

1 single mating end single contact grouping

Included Contact Type:

Coaxial pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold and contact surfaces silver and contact surfaces rhodium

Precious Material And Weight:

0.005 gold grains, troy and 0.005 silver grains, troy and 0.005 rhodium grains, troy

Precious Material:

Gold and silver and rhodium

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.