Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-357-5575

Thread Class	
Thread Class:	
2b Thread Direction	
Thread Direction:	
Right-hand	
Body Style:	
Angle shape, pcb type	
Overall Length:	
1.475 inches	
Overall Height:	
0.405 inches	
Overall Width:	
0.725 inches	
Environmental Protection:	
Shock resistant and thermal shock resistant and vibration resistant and moisture resistant and salt water resistant	
Unthreaded Mounting Hole Diameter:	
Between 0.070 inches and 0.075 inches	
Distance Between Mounting Facility Centers:	
1.265 inches	
Threaded Device Type:	
Coupling facility	
Mating End Quantity:	
Contact Position Arrangement Style:	
37 single mating end	
Contact Removability:	
Nonremovable single mating end single contact grouping	
Polarization Method:	
Mating end	
Shell Type:	
Solid	
Connector Locking Method:	
Jackscrew-socket	
Operating Tempurature Rating:	
Between -55.0 degrees celsius and 125.0 degrees celsius	
Thready Qty Per Inch (tpi):	
56	
Thread Size:	
0.086 inches	
Terminal Location:	
Side single mating end single contact grouping	
Contact Material:	
Copper alloy single mating end single contact grouping	



### **Contact Surface Treatment:**

Gold single mating end single contact grouping

### **Insert Material:**

Plastic diallyl phthalate glass filled single mating end or plastic polyester single mating end

### **Terminal Type:**

Printed circuit single mating end single contact grouping

### Shell Material:

Aluminum alloy 6061

### Shell Surface Treatment:

Nickel

### **Shell Material Specification:**

Qq-a-200/8 federal specification single material response

### **Insert Material Specification:**

Mil-m-14, ty sdg-f military specification 1st material response single mating end or mil-m-24519 military specification 2nd material response single mating end

# Included Contact Quantity:

37 single mating end single contact grouping

### Included Contact Type:

Round socket single mating end single contact grouping

# Precious Material And Location:

Contact surfaces gold

## **Precious Material And Weight:**

0.037 gold grains, troy

### Precious Material:

Gold

### Thread Series Designator:

Unc

### Shelf Life:

N/a

### Unit Of Measure:

---

### **Demilitarization:**

No

Fiig:

A039b0

### Mil-std (military Standard):

Mil-m-14 spec.