## NSN 5935-01-357-8393

Electrical Receptacle Connector - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5955-01-557-6595
Body Style:
Straight shape
Overall Length:
1.500 inches
Overall Height:
0.638 inches
Overall Width:
0.190 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Friction
Operating Tempurature Rating:
Between -40.0 degrees celsius and 105.0 degrees celsius
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:
Qq-b-750 federal specification single material response single mating end single contact grouping
Insert Material Specification:
Astm d-4066 assn standard 1st material response single mating end or mil-c-24519 military specification 2nd material response single
mating end
Included Contact Quantity:
30 single mating end single contact grouping
Included Contact Type:
Flat pin single mating end single contact grouping
Precious Material And Location:

0.030 gold grains, troy

**Precious Material And Weight:** 

Contact surfaces gold

## NSN 5935-01-357-8393

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Demilitarization:
<b>Demilitarization:</b> No

Mil-std (military Standard):

Mil-c-24519 spec.