NSN 5935-01-359-1986

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-359-1986

Body Style: Straight type **Overall Length:** 6.090 inches **Overall Width:** 0.245 inches **Distance Between Mounting Facility Centers:** 5.950 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Connector Locking Method:** Friction **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate glass filled single mating end **Terminal Type:** Printed circuit single mating end single contact grouping **Contact Material Specification:** Qq-b-750 federal specification single material response single mating end single contact grouping **Insert Material Specification:** Mil-m-14, ty sdg-f military specification single material response single mating end **Included Contact Quantity:** 108 single mating end single contact grouping **Included Contact Type:** Hermaphrodite single mating end single contact grouping **Special Features:** Nylon end guides included with connector **Precious Material And Location:** Contact surfaces gold

0.108 gold grains, troy

Precious Material And Weight:

NSN 5935-01-359-1986

Electrical Receptacle Connector - Page 2 of 2



Gold
Supplementary Features:
Mounting method - screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-14 spec.

Precious Material: