Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-359-5272

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape spring mount
Overall Length:
Between 1.607 inches and 1.627 inches
Overall Diameter:
Between 1.235 inches and 1.255 inches
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
3 number 16 single mating end
Contact Removability:
Removable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thready Qty Per Inch (tpi):
12
Thread Size:
1.063 inches and 1.250 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Steel single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Glass fiber single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end single contact grouping
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Nickel alloy
Shell Material Specification:
Qq-n-236 federal specification single material response

NSN 5935-01-359-5272

Electrical Receptacle Connector - Page 2 of 2



Insert Material Specification: Mil-m-14 military specification single material response single mating end **Included Contact Quantity:** 3 single mating end single contact grouping Included Contact Type: Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.015 gold grains, troy **Precious Material:** Gold **Supplementary Features:** Mounting method - friction **Thread Series Designator:** Un Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.