## NSN 5935-01-361-6280

Telephone Jack - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-361-6280 **Thread Class:** 2a **Thread Direction:** Right-hand **Electrical Insulation Feature:** Insulated from panel **Body Style:** Threaded bushing mounted **Overall Length:** 0.828 inches **Mounting Bushing Length:** 0.219 inches **Overall Diameter:** 0.437 inches **Accommodated Finger Type:** Two conductor, round tip single finger **Finger Accommodation Diameter:** 0.100 inches single finger Finger Accommodation Length: 1.188 inches single finger **Jack Contact Arrangement Designator:** J9 **Current Rating In Amps: Mounting Facility Type And Quantity:** 1 bushing Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.312 inches **Terminal Type:** Printed circuit Material: Plastic, polycarbonate insulator Material: Plastic polycarbonate insulator **Precious Material And Location:** Spring and terminal surfaces silver **Precious Material:** Silver **Surface Treatment:** 

Nickel bushing

## NSN 5935-01-361-6280

Telephone Jack - Page 2 of 2



Surface	Treatment:
---------	------------

Nickel bushing

**Thread Series Designator:** 

Unef

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03400