## NSN 5935-01-361-6296

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-361-6296

**Body Style:** Rectangular shape, w/jackscrew **Overall Length:** 4.280 inches Center To Center Distance Between Mounting Facilities Parallel To Length: **3.938** inches **Overall Height:** 4.000 inches **Overall Width:** 1.000 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.640 inches **Mating End Quantity: Contact Position Arrangement Style:** 156 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Polarization Method:** Jackscrew **Connector Locking Method:** Jackscrew **Operating Tempurature Rating:** Between -55.0 degrees celsius and 105.0 degrees celsius **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic polyester glass filled single mating end **Terminal Type:** Wire wrap single mating end single contact grouping **Included Contact Quantity:** 156 single mating end single contact grouping **Included Contact Type:** 

## **Special Features:**

Jackscrew type-female and location-center

Round pin single mating end single contact grouping

## NSN 5935-01-361-6296

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Location:</b>
Contact surfaces gold
Precious Material And Weight:
0.156 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0