## NSN 5935-01-362-1527

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-362-1527

**Body Style:** 

Wall type w/ or w/o cover

**Overall Length:** 

4.562 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.250 inches

**Overall Width:** 

2.843 inches

**Environmental Protection:** 

Corrosion resistant and shock resistant

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.875 inches

**Threaded Device Type:** 

Mounting hole

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

5 single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

30.0 single mating end single contact grouping

**Contact Maximum Ac Voltage Rating In Volts:** 

600.0 single mating end single contact grouping

**Polarization Method:** 

Contact

Shell Type:

Solid

**Connector Locking Method:** 

Shell twistlock

**Operating Tempurature Rating:** 

Between -40.0 degrees celsius and 60.0 degrees celsius

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Insert Material:** 

Plastic phenolic single mating end

**Terminal Type:** 

Screw single mating end single contact grouping

**Shell Material:** 

Aluminum

## NSN 5935-01-362-1527

Electrical Receptacle Connector - Page 2 of 2



## **Included Contact Quantity:**

5 single mating end single contact grouping

**Included Contact Type:** 

Flat pin single mating end single contact grouping

**Supplementary Features:** 

Mounting method - adapter plate

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0