## NSN 5935-01-363-1062

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-363-1062 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 2.734 inches **Overall Diameter:** 2.296 inches **Distance From Mounting Shoulder To Front Face:** 1.691 inches **Mounting Facility Thickness:** Between 0.125 inches and 0.750 inches **Threaded Device Type:** Back shell and mounting bushing **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 25-35 single mating end **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 15.0 and 95.0 and 132.0 and 232.0 and 260.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Operating Tempurature Rating:** Between -65.0 degrees celsius and 175.0 degrees celsius Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.438 inches and 1.750 inches **Insert Material:** Plastic epoxy single mating end **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Cadmium

Busining A

**Bushing Accommodation Hole Shape:** 

Round w/flat

## NSN 5935-01-363-1062

Electrical Receptacle Connector Body - Page 2 of 2



Special Features:
Polarization position z
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A039b0