NSN 5935-01-363-3290

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-363-3290 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, flush mount **Overall Length:** 1.061 inches **Overall Height:** 3.075 inches **Overall Width:** 2.000 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 2.783 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.437 inches **Distance From Mounting Shoulder To Front Face:** 0.936 inches **Threaded Device Type:** Mounting hole **Mating End Quantity:** 2 **Contact Position Arrangement Style:** 26 1st mating end57 2nd mating end **Contact Removability:** Removable all mating ends single contact grouping **Polarization Method:** Guide pin/socket Shell Type: Solid **Connector Locking Method:** Thready Qty Per Inch (tpi): 40 **Thread Size:** 0.112 inches **Terminal Location:** Back all mating ends single contact grouping

Contact Material:

Copper alloy all mating ends single contact grouping

Contact Surface Treatment:

Gold all mating ends single contact grouping

NSN 5935-01-363-3290

Insert Material:

Electrical Receptacle Connector - Page 2 of 2



Plastic diallyl phthalate single mating end
Terminal Type:
Crimp all mating ends single contact grouping
Guide Design And Location:
Hexagon shape female post right-hand at 6 oclock and hexagon shape female post center at 6 oclock and hexagon shape female post
left-hand at 6 oclock
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Included Contact Quantity:
26 1st mating end single contact grouping57 2nd mating end single contact grouping
Included Contact Type:
Round pin all mating ends single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.083 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No No
Fiig:
A039b0