## NSN 5935-01-364-1194

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-364-1194

**Body Style:** 

Straight shape

**Overall Length:** 

2.000 inches

**Overall Height:** 

Between 0.600 inches and 0.630 inches

**Overall Width:** 

0.190 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

2 rows of contacts non-inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end single contact grouping

**Connector Locking Method:** 

Friction

**End Application:** 

6605-01-313-1810 inertail system, navigation

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic polyamide single mating end or plastic single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204, type 2, grade c, cl 1 military specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Pin single mating end single contact grouping

**Contact Material Specification:** 

Qq-b-750 federal specification single material response single mating end single contact grouping

**Insert Material Specification:** 

Astm d4066 assn standard single material response single mating end

**Included Contact Quantity:** 

40 single mating end single contact grouping

**Included Contact Type:** 

Square pin single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

## NSN 5935-01-364-1194

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.040 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.